



FF MED

FUNCTION. WITH ATMOSPHERE

Furniture for clinics, outpatient departments and medical practices
by FF Co. Ltd.

Former serial product of BLANCO Professional

CONTENTS

MEGAdrive functional trolleys	4
Body sizes	6
FF-click connector system	8
MEGAprogress cabinet system	12
MEGAstore ISO module trolleys	14
Thinking ahead	18
Colours for MEGAprogress, MEGAdrive and MEGAstore	19
CLEANassist components for the sterile equipment cycle	20
CLEANassist sterile equipment transport trolley	22
PROassist mobile functional furniture	24
When an idea becomes standard product	26
What's new in our cabinets	29
Warming cabinet & MEGAstore?	30
Never stop improving	31

Please feel free to download
our catalogues from our
website (<http://ffzrt.hu>),
or you can use this QR code
to go directly to the site.



FEELING RELAXED

The most important thing for patients and personnel. We don't rest until it's done.

We know exactly what is important: an atmosphere in which patients and staff feel comfortable and safe. This is the priority we set in the development of every single product.

Our specialists have thought of everything to make work easier: closets and cabinet systems with perfectly designed interior equipment offer space for everything needed. From workplace lighting through the clever FF-click accessory system, the flexible marking system on doors and extensions to warming drawers and electronic lock systems.

Functional trolleys for a range of applications from baby changing to intensive care, emergencies and ward rounds enable nappies, scissors, syringes and blood pressure monitors to be taken to where they are needed – directly to the patient. In the operating

theatre, mobile furniture ensures safe, accessible working and the highest levels of hygiene. And in order to guarantee that everything works perfectly, we have enhanced the systems that constitute the sterile equipment cycle with many clever product ideas.

With attractive designs and fresh colours, our products create friendly surroundings. After all, feeling at ease, coupled with trust, relaxation and a pleasant atmosphere, is the first step to getting better.

A fantastic reward: the Red Dot Award 2014 for the MEGAstore transport trolleys, and a bit earlier the Red Dot Award 2011 for the MEGAdrive trolleys, and Red Dot Design Award 2012 for MEGApogress cabinet.



MEGAdrive

ALL-ROUND TALENT

Practical in every scenario – the MEGAdrive functional trolley. An indispensable assistant. In a range of applications, it brings everything that is needed directly to where it is needed – to the patient.



Anaesthesia trolley



Anaesthesia trolley with warming drawer



ICU trolley



Emergency trolley



ISO module bandage and treatment trolley



Nappy changing trolley

Distinguished by

- ingeniously simple accessory mounting with the FF-click system
- practical details – from the uniquely-shaped push handle to the soft-closing drawers
- modern design and fresh colours
- rugged materials and smooth, jointless surfaces – outstanding german technology
- hygienic, double-walled metal body

Awarded the red dot design award 2011



reddot design award
winner 2011

It shows what it can do. In detail.

One click and it's on. Quick and easy replacement of accessories on the side or multi-functional wall with the FF-click accessory system.

One push and it's closed. Quiet, soft and safe – the fully-extendible, easy-to-clean drawers with rugged, comfortable stainless-steel handles.

Lightweight and agile. The MEGAdrive is easy to steer and manoeuvre on its hygienic, smooth-rolling castors. Rugged corner guards protect the furniture.

Easy and relaxed. The ergonomically-formed push handles made of sturdy, hygienic stainless steel protect the back.



FF-click connector system

Maximum flexibility for mounting accessories on the side and multi-functional rear wall.



Quiet, soft and safe

Fully-extendible, easy-to-clean drawers with rugged, large stainless-steel handles.



Bumper rail and smooth-rolling castors

Optimally manoeuvrable, hygienic steering castors and rugged corner guards protect interiors.



Protects the back

The unique push handle made of strong, hygienic stainless steel facilitates pushing.



Easily opened, securely closed

Doors with a patented hinge.



More options

The FF-click multi-functional wall has room for additional accessories.



Keeping it clear

Synthetic drawer inserts and dividers ensure order.



Well warmed up

Integrated warming drawer for linen or infusions.

MEGAdrive




TAILOR-MADE




Body size, equipment and accessories for the MEGAdrive – just take your pick.

MEGAdrive
Mini:
450 mm
Width

DIN or ISO
The body size of the DIN trolley meets DIN standards. The ISO module trolley is especially adapted to enable the use of ISO modules (600 x 400 mm).

Entirely according to your wishes
MEGAdrive offers pre-defined equipment variants for each of the 12 standard sizes – resulting in around 60 basic versions. Together with the corresponding accessories, you instantly obtain the functional trolley exactly as you want it.

DIN trolleys			
	MEGAdrive Mini		
			
Working height (body height)	830 mm (600 mm)		
Body width	450 mm	600 mm	900 mm
Body depth	530 mm	580 mm	580 mm

ISO module trolleys			
	MEGAdrive Mini		MEGAdrive Mini
			
Working height (body height)	830 mm (600 mm)		980 mm (750 mm)
Body width	450 mm	900 mm	450 mm
Body depth	530 mm	680 mm	530 mm



The stable work surface with railing
Hygienic, practical, excellent




Double-walled body
Beautiful on the outside, rugged on the inside



The rugged fronts
Variety for all situations

See the
MEGAdrive
brochure for details
on the 60 basic
models.




930 mm (700 mm)

600 mm

580 mm


MEGAdrive Mini



980 mm (750 mm)


450 mm

530 mm




600 mm

580 mm



900 mm


580 mm



1080 mm (850 mm)


600 mm

580 mm




660 mm

580 mm



900 mm


680 mm



1030 mm (800 mm)

660 mm


580 mm



1080 mm (850 mm)

660 mm

580 mm



682 mm

580 mm

FF-CLICK


THE MEGATRICK

Change accessories in an instant with the FF-click connector system.

Minimum effort – maximum functionality.

The unique FF-click system offers a solution for every day-to-day medical task.






One part of both FF-click components is integrated in the side wall or multi-functional wall, with the other directly on the accessory part. Simply remove the top surface – insert accessories – done.



Multi-functional wall, two rows



Multi-functional wall, one row



Disposal box set



Ampoule opener



Needle collector



Catheter quiver



Infusion holder



Sterile equipment basket with handle opening



Syringe and needle dispenser



Syringe and needle dispenser



Syringe and needle dispenser
(First In/First Out principle)



Syringe and needle dispenser
(First In/First Out principle)

Further
accessories
see MEGAdrive
brochure




Swab dispenser and moistener



Glove dispenser for
1 pack of gloves



Glove dispenser for
3 packs of gloves



Glove dispenser for
3 packs of gloves



Special container with lid




Bucket




Instrument discharge tray




Disinfectant dispenser



Hanging hook



Waste container



Waste collector with lid,
stainless steel



Waste collector with lid,
synthetic



Waste container with integrated
knee actuation and lid



Wash basin



Syringe and needle dispenser



Disinfectant dispenser for railing

MEGA possibilities.

Well equipped and prepared for everything:
the anaesthesia trolley with special accessories.



Syringe and needle dispenser

Disinfectant dispenser

Disposal box

Ampoule opener

Glove dispenser



Catheter basket



6-outlet power strip



ISO module,
closed, synthetic



ISO module,
synthetic basket




Multifunctional guide element



Sealing strip for drawers



Stainless-steel table top with
synthetic railing




Stainless-steel table top
without railing



Extension panel
(fold-down), stainless steel



Extension panel
(fold-down), synthetic



Central locking



FF marking system

MEGAprogress


SPACE. USED TO THE FULL.

The MEGAprogress cabinet system is full of functions.

Right into the very last corner.



reddot design award
winner 2012



Better organisation with the innovative FF-click connector system. The trick with the "Click!"



Put in the right light
Economical LED interior lighting




Flexible
Multi-functional side wall, guide elements,
shelf carrier and telescopic pull-outs




To ensure the perfect organisation of workplaces, the specialists at FF Co. Ltd. develop practical details. Small containers clicked onto the rear wall keep work surfaces clear, maintaining tidiness and cleanliness. LED light bars illuminate the workplace independently of room lighting. Glass fronts spare staff from long searches for the correct medicine. Sensitive pharmaceuticals can be stored in an integrated fridge – and everything that doesn't belong in unauthorised hands are best kept in the integrated safe.



**High-quality.
External hinge**



**What's inside is marked on the outside.
The right marking**



**That much is sure!
The electronic lock system**



**Especially pleasant.
Our warming drawers**



**Precise installation.
For an optimal room range**

MEGAstore

ITS ACE IS ITS SPACE.

The new MEGAstore complements the fleet of medical transport trolleys by FF Co. Ltd. with a lot of extra volume. For a lot of extra material for long working days.

Loaded in the morning, no need to re-stock all day.

The MEGAstore offers ample space for an entire day's worth of consumables. Individually usable modules can be used to store everything needed in the day-to-day running of a clinic. Dust-tight and clean behind space-saving roller shutters or individually opening hinged doors.



Complete standard-conformity.

Nevertheless, truly extraordinary.

The ISO module trolleys are especially adapted to enable the use of ISO modules (600 x 400 mm). Through flexible module carrier walls, all standard brands of ISO module baskets can be retrofitted, making MEGAstore the perfect base for integrated solutions. All over the world. And yet it still stands out. It doesn't go unnoticed: through its award-winning top design and a wide variety of available colours to bring style and cheer to all surroundings.

Chic and smart.

At FF Co. Ltd, function and design, German technology and high-quality processing are inextricably intertwined. Stylish and modern in shape and colour, smart in its versatility as a valuable assistant – this is why the MEGAstore was distinguished with the Red Dot Award 2014.



reddot award 2014
winner


Extremely easy to manoeuvre.

Two long, ergonomic push handles on both sides. Their large-dimensioned diameters make them fit particularly well in the hand. As a result, the trolley is easy to move. By people of all sizes.



Sturdy with smooth rolling castors.

FF's proven high quality is featured in the robust corner guards which provide all round protection for the trolley and other equipment or surfaces that it might come in contact with. The double, extra smooth rolling castors ensure easy manoeuvring even when fully loaded. The brakes and directional locks on two castors offer additional safety when parked.



Clean and closed. Easy to open.

In order to ensure that everything is kept clean until needed, an all-round seal protects against dust and dirt. High-quality hinges create an extra large opening angle of 270°.



MEGASTORE ROLL-FRONT TROLLEYS



Model	MS_MW_RW_2_ISO	MS_MW_RW_1_ISO	MS_MW_RW_1_ISO longitudinal
Art. No.	543 575	543 573	543 576
Model	ISO module trolley with roller shutters		
Dimensions in mm (L x W x H)	1086 x 743 x 1641	828 x 543 x 1641	628 x 743 x 1641
Inside dimensions in mm	418 x 627 x 1240 (2 compartments)	618 x 427 x 1240 (1 compartment)	418 x 627 x 1240 (1 compartment)
Capacity Load example	4 x 200 mm ISO modules 10 x 100 mm ISO modules 2 x 50 mm ISO modules	2 x 200 mm ISO modules 5 x 100 mm ISO modules 1 x 50 mm ISO module	2 x 200 mm ISO modules 5 x 100 mm ISO modules 1 x 50 mm ISO module
Fronts	Roller shutter front Bar width 15 mm/spacing 30 mm Optimal use of space through space-saving design		
Special features	4 vertical push handles (2 on each side) 4 corner guards 4 steering castors, 2 with brakes and directional locks, 2 electrically conductive		
Body	Stable, long-life all-metal construction in sandwich design for lower weight Powder-coated steel sheet in white aluminium (RAL 9006) Noise-damping insulation Rugged, impact and scratch-proof Hygienic and easy to care for Resistant to UV Resistant to commercially available disinfectants		
Max. load	150 kg	100 kg	100 kg

OPTIONS AND ACCESSORIES MEGASTORE

Options	Description
Stainless steel top surface 1.25 mm stainless steel, AISI 304	For all models
Railing Stainless sleet round tube, 3-sided, diameter 16 mm Recommended only when combined with stainless steel top surface Max. top surface load: 10 kg	For all models
Lockable variants Hinged door trolley: Espagnolette lock with key actuation Roll-front trolley: Lever lock with key actuation	Flush with front
Lead-sealing device	On request For hinged door version only
Electronic lock	On request

MEGASTORE HINGED DOOR TROLLEYS



Model	MS_MW_2FT_2_ISO	MS_MW_2FT_1_ISO	MS_MW_FT_1_ISO longitudinal
Art. No.	543 551	543 574	543 577
Model	ISO module trolley with hinged door		
Dimensions in mm (L x W x H)	1086 x 743 x 1641	828 x 543 x 1641	628 x 743 x 1641
Inside dimensions in mm	418 x 627 x 1330 (2 compartments)	618 x 427 x 1330 (1 compartment)	418 x 627 x 1330 (1 compartment)
Capacity Load example	4 x 200 mm ISO modules 12 x 100 mm ISO modules	2 x 200 mm ISO modules 6 x 100 mm ISO modules	2 x 200 mm ISO modules 6 x 100 mm ISO modules
Fronts	Hinged doors Double-walled with all-round door seal Opening angle: 270°		
Special features	4 vertical push handles (2 on each side) 4 corner guards 4 steering castors, 2 with brakes and directional locks, 2 electrically conductive Side-mounted, magnetic impact protection		
Body	Stable, long-life all-metal construction in sandwich design for lower weight Powder-coated steel sheet in white aluminium (RAL 9006) Noise-damping insulation Rugged, impact and scratch-proof Hygienic and easy to care for Resistant to UV Resistant to commercially available disinfectants		
Max. load	150 kg	100 kg	100 kg

Accessories	Dimensions	Art. No.
Multifunctional guide element For ISO cabinets with 480 mm depth Synthetic guide rails with integrated clip, load capacity 15 kg per element, for all standard ISO modules	390 mm	343 953
Multifunctional guide element For ISO cabinets with 680 mm depth Synthetic guide rails with integrated clip, load capacity 15 kg per element, for all standard ISO modules	590 mm	343 951
Multifunctional telescopic pull-out For ISO cabinets with 480 mm depth Max. load capacity: 30 kg	Guide length: 383 mm, can be pulled out to 450 mm	542 385
Multifunctional telescopic pull-out For ISO cabinets with 680 mm depth Max. load capacity: 30 kg	Guide length: 583 mm, can be pulled out to 650 mm	542 384

THINKING AHEAD

The 360°-service from FF Co. Ltd. begins long before your decision to purchase.

On-site analysis/consultation

360°

Planning

Realisation

After-sales support

Clients' requests – the technicians at FF Co. Ltd. like to fulfil them before they even arise. Hand in hand with creative product designers, they develop ergonomically optimised furniture and equipment with practical details to guarantee tidiness and order. This is what makes work a real pleasure. And through design and colour, freshness and an atmosphere of well-being are brought into rooms for staff and patients alike.

Sooner is better. When equipping new installations, the consultants at FF Co. Ltd. prefer to collaborate with planners and architects from the very beginning. After all, the best – and most cost-effective – solutions can be reached while rooms and equipment can still be changed and adapted to each other.

Directly on site – the best solution is impossible to see anywhere else. When re-equipping existing installations, we analyse the situation on site, offer assistance during planning and accompany the execution of the project right up to after-sales support. Without added price. Because only the best will do.

COLOURS. CHEER.

Fronts in bright tones add a splash of colour and guarantee good moods all round.



An easy decision. Which colour creates the right atmosphere in the room – a subtle pastel shade or trendy and bright? With a choice of 26 colours selected as standard by the expert consultants at FF Co. Ltd., the ideal tone for everyone is sure to be there.

For special requests and favourite colours, however, we would also be pleased to flip through the colour sample cards from RAL, NCS or Pantone and provide you with an individual offer.

Standard colours


(also available as body and plinth colours)




white aluminium
RAL 9006



ocean blue
FF 5701




pearl white
RAL 1013



pure white
RAL 9010



signal white
RAL 9003



traffic white
RAL 9016



grey white
RAL 9002



light grey
RAL 7035



platinum grey
RAL 7036



anthracite
RAL 7016



leaf green
FF 6644



dove blue
RAL 5014



ultramarine blue
RAL 5002



light ivory
RAL 1015



pastel yellow
RAL 1034

F(l)avoured colours



berry nice
Pantone 228 C



lime time
Pantone 382 C

NEW colours



signal green
RAL 6032



mint turquoise
RAL 6033



creme white
RAL 9001



sulphur yellow
RAL 1016



zinc yellow
RAL 1018



azure blue
RAL 5009



strawberry red
RAL 3018



raspberry red
RAL 3027



blue lilac
RAL 4005

Due to differences in print, colours of products may appear different to those shown in the catalogue.

CLEANassist

STERILE. GOOD.

CLEANassist system components for the perfect sterile equipment cycle.

1. Usage

Mobile assistants

5. Sterile storage

Lock compartment/
sterile storage

2. Disposal/ cleaning

Cleaning table systems

4. Transport

Shuttle

3. Packing

Packing tables

STERILE EQUIPMENT CYCLE/
ORGANISATION

Sterilisers

Cleaning and
disinfection
equipment



1. Usage

Mobile assistants. Sterile equipment for operating theatres, outpatient departments or wards is safely transported on disposal tables and hook trolleys from FF Co. Ltd.



2. Disposal/cleaning

Absolute hygiene. Exceptionally designed cleaning table unit made of high-quality 18/10 stainless steel show viruses and bacteria the door.

3. Packing

Freshly packed. On the rugged packing table with optimal height adjustment, sterile equipment is re-packed easily and perfectly in the central sterilisation area.



The CLEANassist product range by FF Co. Ltd. copes smoothly, economically and hygienically with procedures in the operating theatre and outpatient department, from cleaning and packing to transporting and storing.

4. Transport

Innovative shuttle system for transport and storage. No manual re-loading at transport points required. After packing, up to several hundred kilos can be sent to the autoclave and stored in the corresponding system.



5.1. Pass-through cabinet



5.2. Sterile storage

Space-saving storage until next use: in the closed shuttle transport trolley or pass-through compartment systems in shuttle parking cabinet or open on shelves. Flexible and customised.

CLEANassist




PRACTICAL. VERSATILE.

Sterile equipment transport trolleys.

Also suitable
for
AWT systems.




Sterile equipment transport trolleys, open



	Description	Dimensions (WxDxH)	Art. No.
Open sterile equipment transport trolley with shelves*			
	Open 25 x 25 mm square tube frame construction made of stainless steel With 3 height-adjustable shelves (max. loading capacity 60 kg per shelf) 4 electrically conductive steering castors, 2 of which have brakes, 125 mm dia., with wall guards		
1	For holding a maximum of 6 STU sterile products (for a maximum of 3 small shelves of 679 x 564 x 30 mm each)	760 x 695 x 1397 mm	543 137
2	For holding a maximum of 9 STU sterile products (for a maximum of 3 large shelves of 1009 x 564 x 30 mm each)	1090 x 695 x 1397 mm	543 139
Open sterile equipment transport trolley with support brackets*			
	Open 25 x 25 mm square tube frame construction made of stainless steel With 6 height-adjustable support brackets (max. loading capacity 20 kg per pair of support brackets) 4 electrically conductive steering castors, 2 of which have brakes, 125 mm dia., with wall guards		
3	For holding a maximum of 6 STU sterile products with 6 pairs of support brackets (incl. 1 STW frame for support brackets)	760 x 695 x 1397 mm	543 138
4	For holding a maximum of 9 STU sterile products with 9 pairs of support brackets (incl. 2 STW frames for support brackets)	1090 x 695 x 1397 mm	543 140

* Can be easily modified in just seconds – to shelves or support brackets depending on the model – completely without tools

Sterile equipment transport trolleys, closed



	Description	Exterior dimensions (WxDxH) Inside dimensions (WxDxH)	Empty weight	Art. No.
Closed sterile equipment transport trolley with shelves*				
	Closed, single-walled model in stainless steel, 2 double-walled hinged door with all-round seals and stop bar, door in opening angle 270°, can be locked at 255°, with 2 removable, height-adjustable shelves, 2 vertical push handles on both sides, 4 corner guards, 2-point locking, 4 galvanised steering castors, 160 mm dia., 2 of which have brakes, loading weight 180 kg, max. loading capacity per shelf: 60 kg			
1	For holding a maximum of 6 STU sterile products	860 x 785 x 1485 mm 634 x 622 x 1132 mm	94.5 kg	543 131
2	For holding a maximum of 9 STU sterile products	1190 x 785 x 1485 mm 964 x 622 x 1132 mm	117.5 kg	543 133
Closed sterile equipment transport trolley with support brackets*				
	Closed, single-walled model in stainless steel, 2 double-walled hinged door with all-round seals and stop bar, door in opening angle 270°, can be locked at 255°, 2 vertical push handles on both sides, 4 corner guards, 2-point locking, 4 galvanised steering castors, 160 mm dia., 2 of which have brakes, loading weight 180 kg, max. loading capacity per pair of support brackets: 20 kg			
3	For holding a maximum of 6 STU sterile products with 6 pairs of height-adjustable support brackets (incl. 1 STW frame for support brackets, 2 connecting profiles for STW frame and 1 fixing profile for STW frame)	860 x 785 x 1485 mm 634 x 622 x 1132 mm	102.5 kg	543 132
4	For holding a maximum of 9 STU sterile products with 9 pairs of height-adjustable support brackets (incl. 2 STW frames for support brackets, 4 connecting profiles for STW frame and 2 fixing profiles for STW frame)	1190 x 785 x 1485 mm 964 x 622 x 1132 mm	130.5 kg	543 134

Sterile equipment transport trolleys, closed and fully welded

	Description	Exterior dimensions (WxDxH) Inside dimensions (WxDxH)	Empty weight	Art. No.
Closed sterile equipment transport trolley, fully welded, with shelves*				
	Closed, fully-welded model in stainless steel, suitable for washing systems, 2 double-walled hinged door with all-round seals and stop bar, door in opening angle 270°, can be locked at 255°, with 2 removable, height-adjustable shelves, 2 vertical push handles on both sides, 4 corner guards, 2-point locking, 4 galvanised, electrically conductive steering castors, 160 mm, dia., 2 of which have brakes, for indoor/outdoor transport, loading weight 180 kg, max. loading capacity per shelf: 60 kg			
	For holding a maximum of 6 STU sterile products	870 x 780 x 1495 mm 634 x 622 x 1132 mm	107 kg	543 194
	For holding a maximum of 9 STU sterile products	1200 x 780 x 1495 mm 964 x 622 x 1132 mm	113 kg	543 196
Closed sterile equipment transport trolley, fully welded, with support brackets*				
	Closed, fully-welded model in stainless steel, suitable for washing systems, 2 double-walled hinged doors with all-round seals and stop bar, door in opening angle 270°, can be locked at 255°, 2-point locking, 4 galvanised electrically conductive steering castors, 160 mm dia., 2 of which have brakes, for indoor/outdoor transport, loading weight 180 kg, max. loading capacity per pair of support brackets: 20 kg			
	For holding a maximum of 6 STU sterile products with 6 pairs of height-adjustable support brackets (incl. 1 STW frame for support brackets, 2 connecting profiles for STW frame)	870 x 780 x 1495 mm 634 x 622 x 1132 mm	132 kg	543 195
	For holding a maximum of 9 STU sterile products with 9 pairs of height-adjustable support brackets (incl. 2 STW frame for support brackets, 4 connecting profiles for STW frame)	1200 x 780 x 1495 mm 964 x 622 x 1132 mm	144 kg	543 197

* Can be easily modified in just seconds – to shelves or support brackets depending on the model – completely without tools

PROassist

MOBILE FURNITURE

The little assistants from PROassist.
For every situation.



The PROassist mobile functional furniture range includes a wide range of practical seating and functional furniture made of 18/10 stainless steel: rust-proof, corrosion and disinfectant-resistant, hygienic and easy to care for, it is ideal for use in all areas of a clinic.



Instrument table (manually height-adjustable)



Hook trolley with sterile equipment basket



Infusion stand, one-hand model



Swivel stools



Bucket stand



Operating theatre rolling swivel chair



Operating theatre step stools



Hydraulic pump mayo instrument table

Heavy 3-foot design with tip safety and installed precision pump (closed hydraulic system, max. load 30 kg, maintenance-free, immediately ready for operation) for height adjustment from 950–1350 mm with foot pedal operation, frame construction and lifting column made of stainless steel.

Dimensions of table top: 640 x 440 mm
 Dimensions: 730 x 540 x 950/1350 mm
 Weight: 30 kg

Art. No. 543 270

Dimensions of table top: 740 x 540 mm
 Dimensions: 780 x 540 x 950/1350 mm
 Weight: 31 kg

Art. No. 543 271



Hydraulic pump mayo instrument table, model Tübingen

Made of stainless steel, with installed precision pump (closed hydraulic system, max. load 30 kg, maintenance-free, immediately ready for operation) for height adjustment from 950–1350 mm. Especially large table top, can be rotated by 360° and locked.

Dimensions: 1200 x 600 x 950/1350 mm
 Weight: 43 kg

Art. No. 543 269

For more information, custom size
 please consult your local authorized Partner.

Furniture for the operating theatre and outpatient department

Art. No.	Designation	Description	Dimensions in mm (WxDxH)
542182 (page 24)	Instrument table Table top 640 x 440 mm	Manually height-adjustable, 4 double castors, 75 mm dia., 2 electrically conductive, stainless steel	640 x 440 x 830–1300
543270	Hydraulic pump mayo instrument table Table top 640 x 440 mm	Height adjustment with foot pedal, max. load 30 kg, 3 double castors, 75 mm dia., 2 electrically conductive, stainless steel	730 x 540 x 950–1350
543271	Hydraulic pump mayo instrument table Table top 740 x 540 mm	Height adjustment with foot pedal, max. load 30 kg, 3 double castors, 75 mm dia., 2 electrically conductive, stainless steel	780 x 540 x 950–1350
543269	Hydraulic pump mayo instrument table Model Tübingen	Height adjustment with foot pedal, max. load 30 kg, table top can be rotated by 360° and locked, 4 steering castors, 125 mm dia., 2 with brakes, stainless steel	1200 x 600 x 950–1350



SW



noise dampening
plate



synthetic castor




Transport trolley MSW & SW

Frame: sturdy, jointless stainless-steel round tube, 25 mm dia.
Shelves welded in without joints with all-round, 10 mm raised profile edge.
All trolleys are equipped with rugged wall guards. Castors: 4 steering castors, 125 mm dia., 2 of which have brakes, electrically conductive, with thread guard. Max. loading capacity: 80 kg per shelf, 120 kg total.

MSW



reinforced plate
with C profile



galvanised steel castor

Instrument trolley

Mobile, jointless stainless-steel square tube frame construction, 20 x 20 mm. Tube frame designed as a protective railing, top and bottom with removable stainless-steel table tops. Loading capacity: 20 kg, drawer dimensions: 445 x 95 mm. Abrasion-resistant, non-discolouring, corrosion-resistant synthetic antistatic double castors (4 steering castors, 75 mm dia., 2 of which have brakes, with wall guard).

Transport trolleys MSW & SW

Model	Number of shelves	Shelf dimensions (W x D): in mm	Exterior dimensions (W x D x H) in mm	Weight in kg
8 x 5-2	2	800 x 500	900 x 600 x 950	17
8 x 5-3	3	800 x 500	900 x 600 x 950	20
9 x 6-2	2	900 x 550	1000 x 650 x 950	18
9 x 6-3	3	900 x 550	1000 x 650 x 950	22
10 x 6-2	2	1000 x 600	1100 x 700 x 1010	23
10 x 6-3	3	1000 x 600	1100 x 700 x 1010	28

Instrument trolleys

Model	Exterior dimensions (W x D x H) in mm	Weight in kg	Order No.
Instrument trolley	675 x 475 x 800	10	542 265
	770 x 675 x 800	13	542 266
	990 x 675 x 800	15	542 267
Instrument trolley with drawer	675 x 475 x 800	14	542 268
	770 x 675 x 800	18	542 269
	990 x 675 x 800	21	542 270
Instrument trolley with 3-sided stainless-steel railing	675 x 475 x 800	12	542 271
	770 x 675 x 800	17	542 272
	990 x 675 x 800	20	542 273
Instrument trolley with drawer and 3-sided stainless-steel railing	675 x 475 x 800	19	542 274
	770 x 675 x 800	25	542 275
	990 x 675 x 800	29	542 276
Instrument trolley with flush retaining lip, removable upper table top	689 x 489 x 800	10	542 278
	784 x 689 x 800	13	542 279
	1004 x 689 x 800	15	542 280

WHEN AN IDEA BECOMES STANDARD PRODUCT



‘Infusion Max’ Heavy duty mobile stand especially for holding infusion pumps

Made of electropolished stainless steel material; easy-to-move, ergonomic and robust. Adjustable infusion bottle holder arms with hooks, easy to set the required position. High quality smooth-rolling castors, electrically conductive, rugged brakes on two of the castors, diameter: 125 mm.

Dimensions: 510 x 1804 x 632 mm
Size of the infusion pump holder: 768 mm
Weight: 16,4 kg

Order No. 542 174



Gascylinder transportation trolley

Small mobile gas cylinder transport trolley made of stainless steel material. Adjustable holders for different cylinder sizes. Easy handling. Available with MRI compatible castors.

Dimensions: 396,1 x 620 x 1111,5 mm
Weight: 15 kg

Order No. 542 176

WHEN AN IDEA BECOMES STANDARD PRODUCT



'FF MATE' Shelves for different hospital wards and units

Variable. Creatable.

- 2 mounting methods: wall-mounted or medical rail system mounted (international standard)
- without drawer, with 1 or 2 drawers
- powdercoated or stainless steel front
- antibacterial stainless steel tray

Dimensions: 540 x 363 x 175 mm

Weight: 5 kg

Order No. 542 201

Dimensions: 540 x 363 x 184 mm

Weight: 10 kg

Order No. 542 202

Dimensions: 540 x 363 x 304 mm

Weight: 13 kg

Order No. 542 203



Splash guard for hook trolley

Hook trolleys are available with closed back wall called 'splash guard', in order to protect the objects from different splashes and from other contaminants.

Remark: The splash guard can be ordered separately as additional part for an existent hook trolley.


Dimensions: 550 x 49 x 822 mm

Order No. 542 207

WHAT'S NEW IN OUR CABINETS


FROM FLAT WITH A SNAP

Cabinets in flat packing



- optimised for transport
- easier handling onsite
- assembly takes less than 20 minutes

NEW!




WHEN A CABINET BECOMES A WARMING DEVICE

Our former product with new features



+



=

NEW!

- digitally controlled heating
- adjustable in 0,1 degree
- up to max. 65 degrees
- clearly visible digital display
- heating capacity: 500-2000 W
- stainless steel or powder coated
- insulated side and back wall


- built-in and free-standing design
- mobile models with castor
- other cabinet functions available such as glass door, lock system, etc.
- non-medical device
- custom sizes and features available on request



WARMING CABINET & MEGAstore?



+



=

MEGAheat

NEW!




- easy handling
- adjustable in 0,1 degree
- up to max. 65 degrees
- clearly visible digital display
- heating capacity: 500-2000 W
- non-medical device
- available in three different sizes:
665 x 607 x 1650 mm
600 x 580 x 750 mm
600 x 580 x 850 mm

NEVER STOP IMPROVING

Our brand new solutions at your service.

SHARE
WITH US
YOUR SPECIAL
REQUEST

Covered shelving system



Pass-through cabinet with UVC LED lighting



Waiting room bench from stainless steel



MEGAstore with glass door




MEGAdrive full ISO modul trolley (longitudinal)



For custom sizes, please consult with your local Partner!

Authorized Partner:



The FF Co. Ltd.
Member of the Rev Group



FF Fémfeldolgozó Co. Ltd. is a medium-sized, family-owned company in Hungary, and since 2005 it is the member of the Rev Group (www.revgroup.hu).

For decades we have been specialists in the processing of stainless steel and electrolytically galvanized steel. With our modern machine park, electropolishing facility and powder coating capabilities the main focus of our production program are products for professional commercial kitchens, complete systems for shop-baking equipment, accessories for sterilization equipment and our own "medical line" with furniture for clinics, ambulances and medical practices of the highest quality.

With highly qualified technical staff we are constantly working to improve our products and to implement individual customer requests.

Our head office is located in Budapest, the production site in Mezőtúr.

The product range consists of cabinet systems, functional trolleys, sterile services equipment and mobile furnishings for the operating room.

All of FF Co. Ltd. Professional's divisions have DIN EN ISO 9001:2015, 14001:2015 certification, guaranteeing a high standard of reliability and customer orientation.

Our daughter company in Germany:
MED-Systeme GmbH

<http://www.med-systeme.de>

MED-Systeme GmbH
planung - vertrieb
einrichtungen für
klinik.labor.praxis
möbel & objekte

All other countries:

FF Co. Ltd. Hungary

<http://ffzrt.hu>



FF FÉMFELDOLGOZÓ
SINCE 1949